

T410X



- 40 -

APPENDIX I

FISHER SCIENTIFIC RIMS  
REQUISITION HEADER

DATE: 08/05/94  
TIME: 07:04:57

ACCT-NBR :

NAME:  
ADDRESS:

COMPANY :

REQ NBR :

RELEASE :

CALLER :

ATTN :

BILL TO :

VENDOR :

ORDER TYPE : R ORDER  
HOLD/REL: I RUSH CODE: 9  
FREIGHT OVERRIDE: N TAX OVERRIDE:  
EDI PO TO HOST: N POA 855  
PRT ACK: Y NBR OF COPIES: 1  
ACK DELV CODE: P PRINT & DELIVER  
REQ DELV CODE: W WALK IN  
SERVICE CHARGE: 0.00

CREATED: 08-04-1994 STATUS: R

RESPONSE: KEY(S):

+F2:ADD F3:EXIT F4:UPDATE F5:REFRESH F6:ITEM F9:VAR F10:SRCE F11:CHGPO F12:DEL  
1BV123

RECEIVED  
98 SEP 21 PM 2:26  
GROUP 2700

41

T420X

- 41 -

APPENDIX II

\*\*\* REQUISITION MANAGEMENT SCREEN \*\*\*

ACCT NBR: 218848 002 REQ NBR: TEST NEW ONE

| S     | LINE | STOCK NBR                        | QTY | UM | PT | STKRM | XREF | SPI | UNIT PRICE | EXT PRICE |
|-------|------|----------------------------------|-----|----|----|-------|------|-----|------------|-----------|
|       | 001  | 13246818F                        | 0   | CS | 03 |       |      |     | 0.00       | 0.00      |
| DESC: |      | QTY AVAIL: 0 LOC: FSHR WHSE: BLW |     |    |    |       |      |     |            |           |
| 002   |      |                                  |     |    |    |       |      |     |            |           |
| DESC: |      | QTY AVAIL: LOC: WHSE:            |     |    |    |       |      |     |            |           |
| 003   |      |                                  |     |    |    |       |      |     |            |           |
| DESC: |      | QTY AVAIL: LOC: WHSE:            |     |    |    |       |      |     |            |           |
| 004   |      |                                  |     |    |    |       |      |     |            |           |
| DESC: |      | QTY AVAIL: LOC: WHSE:            |     |    |    |       |      |     |            |           |
| 005   |      |                                  |     |    |    |       |      |     |            |           |
| DESC: |      | QTY AVAIL: LOC: WHSE:            |     |    |    |       |      |     |            |           |

RESPONSE: KEY(S):

ALL ITEMS DISPLAYED

F3:EXIT F6:SOURCE F7:BKWD F8:FWD F9:NEW F10:NONCAT F11: CATALOG F12:CNCL

42

APPENDIX III

ovens

General

- (1106) Fisher Isotemp 800 Series Programmable Ovens
- (1107) Isotemp 700 Series Deluxe Lab Ovens
- (1108) Isotemp 600 Standard Lab Ovens
- (1109) Fisher Isotemp 500 Series Economy Lab Ovens
- (1110) Gravity Convection Ovens
- (1111) Utility Ovens
- (1112) Mechanical Convection Ovens with Electronic Temperature
- (1113) General-Purpose Ovens
- (1114) Heavy Duty Deluxe Ovens
- (1116) Large Capacity Model 2882A
- (1117) Standard Capacity Model 281A
- (1118) Fisher Models 280 and 285 Vacuum Ovens
- (1119) NAPCO Vacuum Ovens

Help Catalogs Search Order List Minimize Clear Prev Next Exit

APPENDIX IV

T440X  
(FSC1106) Fisher Isotemp 800 Series Programmable Ovens

Fisher Isotemp 800 Series Programmable Ovens

*Three linear heat-up and cool-down stages*  
*Talking control panel*  
*Keypad and lighted graphics*  
*30° to 325°C range*  
*RS-422 serial communications capability*

The latest technology at your fingertips. Accurate, easy-to-use controls allow you to program up to 3 heat-up stages and 3 cool-down stages linearly to provide the most appropriate conditions for your samples. Using the large keyboard, you can choose the heat-up or cool-down rate, the temperature you want for each stage, and the length of time you want the oven to hold each temperature. And, for projects requiring repeatability, you can duplicate the settings at any time.

Help Catalogs Search Order List Minimize Clear Prev Next Exit

44

APPENDIX V

(FSC1106) Fisher Isotemp 800 Series Programmable Ovens

|                         |                               |                               |
|-------------------------|-------------------------------|-------------------------------|
| Model                   | 818F                          | 838F                          |
| Inside D x W x H        | 16 x 12 x 16 (41 x 30 x 41cm) | 18 x 18 x 20 (46 x 46 x 51cm) |
| Shp. Wt.                | 156 lb. (71kg)                | 195 lb. (88kg)                |
| Electrical Requirements | 230V 50/60Hz 11.3 Amps        | 230V 50/60Hz 19 Amps          |
| Cat. No.                | <del>13-246-818F</del>        | 13-246-838F                   |
| Each                    | 3495.00                       | 3995.00                       |

Extra Shelves for 800 Series Ovens

No-tip design. Move to any position in seconds. Full Depth Shelves: Chrome-Plated Steel

Help Catalogs Search Order List Minimize Clear Prev Next Exit

T450X

45

APPENDIX VI

ITEMS SELECTED

| Part<br>Number | Description               | List<br>Price |
|----------------|---------------------------|---------------|
| 13246818F      | ISOTEMP OVEN MDL818F 230V | 3495.00       |

Help      Cancel      Delete      Delete All      Order      Description

APPENDIX VII

SEARCH

Page:

Search For:

Part Number:      ☐Fisher   ☐Vendor   ☐Customer

Vendor Name:

Bulletin:

|      |          |        |            |           |          |      |      |      |
|------|----------|--------|------------|-----------|----------|------|------|------|
| HELP | SEARCH   | CANCEL | CLEAR      | USER DATA | EXTENDED |      |      |      |
| Help | Catalogs | Search | Order List | Minimize  | Clear    | Prev | Next | Exit |

APPENDIX VIII

RICREQ11

FISHER SCIENTIFIC RIMS  
REQUISITION MANAGEMENT SCREEN

DATE: 07-29-94  
TIME: 14:54:22

ACCT NBR: 363690 006 REQ NBR: PO NBR 001

COMP: 1 REL NBR:  
0 LINE STOCK NBR QTY UM PT STKRM XREF SPI UNIT PRICE EXT PRICE  
001 A181 1 EA 03 0.00 0.00  
DESC: QTY AVAIL: 0 LOC: FSHR WHSE: EDC  
002 02540K 1 PK 01 0.00 0.00  
DESC: QTY AVAIL: 49 LOC: WHSE: JIT  
003 13246818F 1 EA 03 0.00 0.00  
DESC: QTY AVAIL: 0 LOC: FSHR WHSE: EDC  
004 A181-06 1 EA 06 100.00 100.00  
DESC: ACETONE QTY AVAIL: 0 LOC: WHSE: JIT  
JIT BACKORDER WILL OCCUR  
005  
DESC: QTY AVAIL: 0 LOC: WHSE:

RESPONSE:

KEYS(S):

I ITEM(S) PROCESSED

+ F3:EXIT F6:SOURCE F7:BKWD F8:FWD F9:NEW ITM F10:NONCAT F11:CATALOG F12:CNCL

1B V123

T480X

48



APPENDIX IX

RICPOMP1

FISHER SCIENTIFIC RIMS  
REQUISITION MANAGEMENT SCREEN  
REQ-NBR : PO NBR 001  
REL-NBR :

DATE: 08-03-94  
TIME: 07:44:13

COMP ID: 001  
ACCT NBR : 363690 006  
ORDER NBR:  
SERVICE : 0.00  
CARRIER :

PICKLIST REVIEWED :  
ORDER: 0.00 FREIGHT:

| O LINE | PART                  | QTY | UOM  | PRD        | UNIT PRICE | SERVICE EXT | PRICE    | LOC | STAT |
|--------|-----------------------|-----|------|------------|------------|-------------|----------|-----|------|
| 001    | A181                  | 1   | EA   | 03         | 35.30      | 0.00        | 35.30    | DEL | S    |
|        | ACETONE CERTIFIED ACS |     | 1L   | QTY AVAIL: |            | 1           | QTY REC: |     | O    |
| 002    | 02540K                | 1   | PK   | 01         | 32.70      | 0.00        | 32.70    | JIT | S    |
|        | BEAKER GRIFFIN 250ML  |     | 12/9 | QTY AVAIL: |            | 49          | QTY REC: |     | O    |
| 003    | 13246818F             | 1   | EA   | 03         | 3495.00    | 0.00        | 3495.00  | EDC | S    |
|        | PROGRAMMABLE OVEN     |     |      | QTY AVAIL: |            | 0           | QTY REC: |     | O    |
| 004    | A181-06               | 1   | EA   | 06         | 100.00     | 0.00        | 100.00   | JIT | S    |
|        | ACETONE               |     |      | QTY AVAIL: |            | 0           | QTY REC: |     | O    |

RESPONSE:

KEY(S):

+ F3:EXIT F6:ACCEPT F7:BKWD F8:FWD F9:PRINT ACK F11:M/B ERRORS F12 DELETE  
1B V123

APPENDIX X

81

\*\*\* REQUISITION MANAGEMENT SCREEN \*\*\*

ACCT NBR: 218848 002 REQ NBR: TEST NEW ONE  
COMP: 001 REL NBR:  
ELECTRONIC SOURCING MESSAGES

LINE NUMBER 001 PART NUMBER 53610  
PART ADDED SUCCESSFULLY

LINE NUMBER 001 PART NUMBER 53610  
REPLACEMENT WAS MADE FOR PRIOR PART: S100-06

LINE NUMBER 001 PART NUMBER 53610  
VENDOR CHANGED FROM: VN00000001

LINE NUMBER 002 PART NUMBER 53620  
PART ADDED SUCCESSFULLY

LINE NUMBER 003 PART NUMBER 53650  
PART ADDED SUCCESSFULLY

F6:RETURN F7:BACKWARD F8:FORWARD